

COD (HR) 200 - 15000 mg/l prepared vials

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Date of issue: 23/11/2017 Revision date: 02/06/2025 Supersedes version of: 14/09/2023 Version: 1.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Name : COD (HR) 200 - 15000 mg/l prepared vials
Trade name : COD (HR) 200 - 15000 mg/l prepared vials
EC Index-No. : 016-020-00-8
EC-No. : 231-639-5
CAS-No. : 7664-93-9
Product code : PHTR-DQH
Formula : H2O4S

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Laboratory use

1.3. Details of the supplier of the safety data sheet

No additional information available

1.4. Emergency telephone number

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290
Acute toxicity (oral), Category 4 H302
Acute toxicity (inhal.), Category 4 H332
Skin corrosion/irritation, Category 1A H314
Germ cell mutagenicity, Category 1A H340
Carcinogenicity (inhalation) Category 1A H350i
Reproductive toxicity, Category 1A H360
Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410
Full text of H and EUH statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Contains :

Sulfuric acid

; Dichromic Acid (Potassium dichromate/sulfuric acid); Mercuric Sulfate

COD (HR) 200 - 15000 mg/l prepared vials

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP)	: H290 - May be corrosive to metals. H302+H332 - Harmful if swallowed or if inhaled. H314 - Causes severe skin burns and eye damage. H340 - May cause genetic defects. H350i - May cause cancer by inhalation. H360 - May damage fertility or the unborn child. H410 - Very toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P234 - Keep only in original packaging. P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P270 - Do not eat, drink or smoke when using this product.

2.3. Other hazards

PBT: not relevant – no registration required

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Dichromic Acid (Potassium dichromate/sulfuric acid) (13530-68-2)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Dichromic Acid (Potassium dichromate/sulfuric acid) (13530-68-2)

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component	
Substance(s) not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	Dichromic Acid (Potassium dichromate/sulfuric acid) (13530-68-2)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sulfuric acid	CAS-No.: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8 REACH-no: 01-2119458838-20	86 – 96	Met. Corr. 1, H290 Skin Corr. 1A, H314
Water	CAS-No.: 7732-18-5 EC-No.: 231-791-2	2 – 10	Not classified

COD (HR) 200 - 15000 mg/l prepared vials

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Dichromic Acid (Potassium dichromate/sulfuric acid) substance listed as REACH Candidate (Acids generated from chromium trioxide and their oligomers) substance listed in REACH Annex XIV (Acids generated from chromium trioxide and their oligomers (Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid))	CAS-No.: 13530-68-2 EC-No.: 236-881-5	1 – 3	Ox. Sol. 2, H272 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Acute Tox. 1 (Inhalation), H330 Skin Corr. 1B, H314 Muta. 1B, H340 Carc. 1B, H350 Repr. 1B, H360 STOT RE 1, H372 Aquatic Chronic 1, H410
Mercuric Sulfate	CAS-No.: 7783-35-9 EC-No.: 231-992-5 EC Index-No.: 080-002-00-6	0,5 – 2	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Chronic 1, H410
Silver sulfate	CAS-No.: 10294-26-5 EC-No.: 233-653-7	0,5 – 2	Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410 (M=100)

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Sulfuric acid	CAS-No.: 7664-93-9 EC-No.: 231-639-5 EC Index-No.: 016-020-00-8 REACH-no: 01-2119458838-20	(5 ≤ C < 15) Eye Irrit. 2; H319 (5 ≤ C < 15) Skin Irrit. 2; H315 (15 ≤ C < 100) Skin Corr. 1A; H314

Full text of H and EUH statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Give oxygen or artificial respiration if necessary. Call a physician immediately.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. Get immediate medical advice/attention.
First-aid measures after eye contact	: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
First-aid measures after ingestion	: Drink plenty of water. Rinse mouth. Get immediate medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Never give anything by mouth to an unconscious person.

COD (HR) 200 - 15000 mg/l prepared vials

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Making extinguishing agents environment-friendly.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Stop release. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

See Heading 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Keep containers closed.
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in a well-ventilated place. Keep container tightly closed.
Incompatible materials : Heat sources. Direct sunlight.
Storage area : Store away from heat.

7.3. Specific end use(s)

Laboratory chemicals.

COD (HR) 200 - 15000 mg/l prepared vials

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Sulfuric acid (7664-93-9)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Sulphuric acid (mist)
IOEL TWA	0,05 mg/m ³
France - Occupational Exposure Limits	
Local name	Acide sulfurique
VME (OEL TWA)	0,05 mg/m ³ (fraction thoracique)
VLE (OEL Ceiling/STEL)	3 mg/m ³ (fraction thoracique)
Remark	VME règlementaire indicative; VLE recommandée/admise
Germany - Occupational Exposure Limits (TRGS 900)	
Local name	Schwefelsäure
AGW (OEL TWA)	0,1 mg/m ³ E (mg/m ³)
Remark	DFG,EU,Y
Italy - Occupational Exposure Limits	
Local name	Acido solforico (nebulizzazione)
OEL TWA	0,05 mg/m ³
Portugal - Occupational Exposure Limits	
Local name	Ácido sulfúrico
OEL TWA	0,2 mg/m ³ T (Fração torácica)
Spain - Occupational Exposure Limits	
Local name	Ácido sulfúrico
VLA-ED (OEL TWA)	0,05 mg/m ³ niebla
Remark	az (Al seleccionar un método adecuado de control de la exposición, deben tomarse en consideración posibles limitaciones e interferencias que pueden surgir en presencia de otros compuestos de azufre), VLI (Agente químico para el que la U.E. estableció en su día un valor límite indicativo. Todos estos agentes químicos figuran al menos en una de las directivas de valores límite indicativos publicadas hasta ahora (ver Anexo C. Bibliografía). Los estados miembros disponen de un tiempo fijado en dichas directivas para su transposición a los valores límites de cada país miembro. Una vez adoptados, estos valores tienen la misma validez que el resto de los valores adoptados por el país), s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para una información detallada acerca de las prohibiciones consúltese: Base de datos de productos biocidas: http://www.msssi.gob.es/ciudadanos/productos.do?tipo=plaguicidas Base de datos de productos fitosanitarios http://www.magrama.gob.es/agricultura/pags/fitos/registro/fichas/pdf/Lista_sa.pdf), d (Véase UNE EN 481: Atmósferas en los puestos de trabajo. Definición de las fracciones por el tamaño de las partículas para la medición de aerosoles).
United Kingdom - Occupational Exposure Limits	
Local name	Sulphuric acid
WEL TWA (OEL TWA)	0,05 mg/m ³ mist

COD (HR) 200 - 15000 mg/l prepared vials

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sulfuric acid (7664-93-9)	
Remark	The mist is defined as the thoracic fraction
Mercuric Sulfate (7783-35-9)	
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA)	0,025 mg/m ³

DNEL and PNEC

COD (HR) 200 - 15000 mg/l prepared vials (7664-93-9)	
DNEL/DMEL (Workers)	
Acute - local effects, inhalation	0,1 mg/m ³
Long-term - local effects, inhalation	0,05 mg/m ³
PNEC (Water)	
PNEC aqua (freshwater)	0,0025 mg/l
PNEC aqua (marine water)	0,00025 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0,002 mg/kg dwt
PNEC sediment (marine water)	0,002 mg/kg dwt
PNEC (STP)	
PNEC sewage treatment plant	8,8 mg/l

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Do not breathe gas/vapour.

Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure. EN 374.

Personal protective equipment symbol(s):



Eye and face protection

Eye protection:

Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

protective gloves

Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

COD (HR) 200 - 15000 mg/l prepared vials

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory protection			
Device	Filter type	Condition	Standard
Escape hood	Filter A3/B3		EN 12942

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use. Wash hands with water as a precaution.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light orange.
Appearance	: Cloudy.
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not flammable
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: > 100 °C
pH	: < 0,5
Viscosity, kinematic	: Not available
Solubility	: Miscible.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: 0,485 hPa Temp.: 20 °C
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Caustic products.

10.4. Conditions to avoid

No additional information available

COD (HR) 200 - 15000 mg/l prepared vials

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.5. Incompatible materials

May be corrosive to metals.

10.6. Hazardous decomposition products

Corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Harmful if inhaled.

COD (HR) 200 - 15000 mg/l prepared vials (7664-93-9)

LD50 oral rat	2140 mg/kg bodyweight Animal: rat, 95% CL: 1540 - 2990
LD50 oral	female
LC50 inhalation rat (mg/l)	0,375 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
ATE CLP (vapours)	11 mg/l/4h
ATE CLP (dust,mist)	1,5 mg/l/4h

Sulfuric acid (7664-93-9)

LD50 oral rat	2140 mg/kg
---------------	------------

Silver sulfate (10294-26-5)

LD50 oral rat	5000 mg/kg
---------------	------------

Skin corrosion/irritation : Causes severe skin burns.
pH: < 0,5

Sulfuric acid (7664-93-9)

pH	< 1
----	-----

Mercuric Sulfate (7783-35-9)

pH	≈ 1 50 g/l 20 °C
----	------------------

Silver sulfate (10294-26-5)

pH	5 – 6 (5 g/l H ₂ O sol.)
----	-------------------------------------

Water (7732-18-5)

pH	5 – 6,5
----	---------

Serious eye damage/irritation : Assumed to cause serious eye damage
pH: < 0,5

Sulfuric acid (7664-93-9)

pH	< 1
----	-----

Mercuric Sulfate (7783-35-9)

pH	≈ 1 50 g/l 20 °C
----	------------------

Silver sulfate (10294-26-5)

pH	5 – 6 (5 g/l H ₂ O sol.)
----	-------------------------------------

COD (HR) 200 - 15000 mg/l prepared vials

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Water (7732-18-5)

pH	5 – 6,5
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: May cause genetic defects.
Carcinogenicity	: May cause cancer by inhalation.
Reproductive toxicity	: May damage fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Dichromic Acid (Potassium dichromate/sulfuric acid) (13530-68-2)

STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
------------------------	-----------------------------------------------------------------

Mercuric Sulfate (7783-35-9)

STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
------------------------	--------------------------------------------------------------------

Aspiration hazard	: Not classified
-------------------	------------------

Water (7732-18-5)

Viscosity, kinematic	0,952 mm ² /s
----------------------	--------------------------

11.2. Information on other hazards

Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties	: Not applicable
------------------------------------------------------------------	------------------

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Very toxic to aquatic life with long lasting effects.

COD (HR) 200 - 15000 mg/l prepared vials (7664-93-9)

EC50 - Daphnia [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0,15 mg/l Test organisms (species): other:Tanytarsus dissimilis
NOEC chronic fish	0,31 mg/l Test organisms (species): Salvelinus fontinalis

Silver sulfate (10294-26-5)

LC50 - Fish [1]	1,2 µg/l Test organisms (species): Pimephales promelas
-----------------	--------------------------------------------------------

12.2. Persistence and degradability

COD (HR) 200 - 15000 mg/l prepared vials (7664-93-9)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Sulfuric acid (7664-93-9)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

Dichromic Acid (Potassium dichromate/sulfuric acid) (13530-68-2)

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

COD (HR) 200 - 15000 mg/l prepared vials

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Mercuric Sulfate (7783-35-9)	
Persistence and degradability	Rapidly degradable
Silver sulfate (10294-26-5)	
Persistence and degradability	Rapidly degradable
Water (7732-18-5)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

COD (HR) 200 - 15000 mg/l prepared vials (7664-93-9)	
PBT: not relevant – no registration required	
Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Dichromic Acid (Potassium dichromate/sulfuric acid) (13530-68-2)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Dichromic Acid (Potassium dichromate/sulfuric acid) (13530-68-2)

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : Not applicable.

12.7. Other adverse effects

Other adverse effects : Do not discharge into drains or rivers.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Waste treatment methods : wastes containing mercury. Must follow special treatment according to local regulation.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR) : UN 1830
UN-No. (IMDG) : UN 1830
UN-No. (IATA) : UN 1830
UN-No. (ADN) : UN 1830
UN-No. (RID) : UN 1830

14.2. UN proper shipping name

Proper Shipping Name (ADR) : SULPHURIC ACID
Proper Shipping Name (IMDG) : SULPHURIC ACID
Proper Shipping Name (IATA) : Sulphuric acid

COD (HR) 200 - 15000 mg/l prepared vials

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Proper Shipping Name (ADN)	: SULPHURIC ACID
Proper Shipping Name (RID)	: SULPHURIC ACID
Transport document description (ADR) (ADR)	: UN 1830 SULPHURIC ACID, 8, II, (E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1830 SULPHURIC ACID, 8, II, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1830 Sulphuric acid, 8, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1830 SULPHURIC ACID, 8, II, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1830 SULPHURIC ACID, 8, II, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Danger labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



14.4. Packing group

Packing group (ADR) : II
Packing group (IMDG) : II
Packing group (IATA) : II
Packing group (ADN) : II
Packing group (RID) : II

COD (HR) 200 - 15000 mg/l prepared vials

Safety Data Sheet


according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-B
Other information	: No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: C1
Limited quantities (ADR)	: 1I
Excepted quantities (ADR)	: E2
Packing instructions (ADR)	: P001, IBC02
Mixed packing provisions (ADR)	: MP15
Portable tank and bulk container instructions (ADR)	: T8
Portable tank and bulk container special provisions (ADR)	: TP2
Tank code (ADR)	: L4BN
Vehicle for tank carriage	: AT
Transport category (ADR)	: 2
Hazard identification number (Kemler No.)	: 80
Orange plates	: 

Tunnel restriction code (ADR)	: E
EAC code	: 2P

Transport by sea

Limited quantities (IMDG)	: 1 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
IBC special provisions (IMDG)	: B20
Tank instructions (IMDG)	: T8
Tank special provisions (IMDG)	: TP2
Stowage category (IMDG)	: C
Stowage and handling (IMDG)	: SW15
Segregation (IMDG)	: SGG1A, SG36, SG49
Properties and observations (IMDG)	: Colourless, oily liquid, mixture over 1.41 up to 1.84 relative density. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.

Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
ERG code (IATA)	: 8L

Inland waterway transport

Classification code (ADN)	: C1
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP
Number of blue cones/lights (ADN)	: 0

COD (HR) 200 - 15000 mg/l prepared vials

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Rail transport

Classification code (RID)	: C1
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T8
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BN
Special provisions for RID tanks (RID)	: TU42
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3.	Sulfuric acid
18.	Mercuric Sulfate
3(b)	Sulfuric acid

REACH Annex XIV (Authorisation List)

Contains REACH Annex XIV substances: Acids generated from chromium trioxide and their oligomers (EC 236-881-5, CAS 13530-68-2)

REACH Candidate List (SVHC)

Contains a substance on the REACH candidate list in concentration $\geq 0.1\%$ or with a lower specific limit: Acids generated from chromium trioxide and their oligomers (EC 236-881-5, CAS 13530-68-2)

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

COD (HR) 200 - 15000 mg/l prepared vials

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

National regulations

France

Occupational diseases	
Code	Description
RG 2	Occupational diseases caused by mercury and its compounds

Germany

- Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the shipping route (according to § 10).
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

- SZW-lijst van kankerverwekkende stoffen : Sulfuric acid is listed
SZW-lijst van mutagene stoffen : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : None of the components are listed
NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

- Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product
The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 1 (Inhalation)	Acute toxicity (inhal.), Category 1
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2

COD (HR) 200 - 15000 mg/l prepared vials

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Met. Corr. 1	Corrosive to metals, Category 1
Muta. 1B	Germ cell mutagenicity, Category 1B
Ox. Sol. 2	Oxidising Solids, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H360	May damage fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.